

Model 1052 SD/MMC/RSMHC Label Application System



The Able Design Model 1052 SD/MMC Label Application System is designed to apply thin film labels to SD/MMC/RSMHC devices with a high level of placement accuracy and repeatability.

Model 1052 is equipped with a removable hopper holding approximately 100 SD or 150 MMC/RSMHC devices. The cards are fed from the hopper to the label head with the output directed into an external tote bin.

The informative front panel display simplifies the operation of the machine by providing an adaptive menu system to operate, adjust, and maintain the machine. Detailed help is quickly made available with a touch of a button.

Model 1052 SD/MMC/RSMMC Label Application System

PRODUCT SPECIFICATION:

Form factor:	SD/MMC FLASH memory cards RSMMC FLASH memory cards via optional kit
Throughput:	up to 6000 per hour
Label specification:	max width 21 mm (0.82") max length 27 mm (1.06") min width 20 mm (.79") min length 10 mm (.39") min spacing between labels on liner 3 mm (.12")
Dimensions:	318 mm (12.5") W 475 mm (18.7") D 480 mm (19") H
Mass:	15 kg (34 lb)
Power:	90-175 VAC, 5A or 135-264 VAC, 3A 47-63 Hz



Distributed by:

Multi Media Replication Ltd
Unit 4, Balksbury Estate
Upper Clatford, Andover
Hampshire, SP11 7LW, UK
TEL: +44 (0)1264 336330
FAX: +44 (0)1264 336694
info@replication.com
www.replication.com

